

## Diuretics requiring a Potassium level within 7 days of surgery

Acetazolamide	Hydrodiuril	Torsemide
Aldactazide	Hydroflumethiazide	Tortas
Alkapamid XL	HydroSaluric	Triamterene/HCTZ
Amiloride/HCTZ	Hypothiazid	Valsartan/HCTZ
Apo-hydro	Indapamide	Vaseretic
Apo-Triazide	Inderide	Wator
Apresazide	Indipam XL	Zaroxolyn
Aquazide	Irbesartan/HCTZ	Zestoretic
Aquazide H	Lasix	Ziac
Aquatensen	Lisinopril/HCTZ	Zide
<b>Atenolol/HCTZ</b>	<b>Lopressor HCT</b>	Zytanix
Avelide	Losartan Potassium/HCTZ	
Benazepril HCT	Lotensin HCT	
Bendroflumethiazide/rauwolfia	Lozide	
Benicar HCT	Lozol	
<b>Bisoprolol/HCTZ</b>	Maxzide	
BPZide	Methychlothiazide	
Bumetanide	Metolazone	
Bumex	<b>Metoprolol/HCTZ</b>	
Burinex	Metoz	
Capozide	Microzide	
Captopril/HCTZ	Minizide	
Chlorthalid	Moduret	
Chlorthalidone	Moduretic	
Chlorothiazide	Mykrox	
Daranide	Natrilix	
Demadex	Novo-Spirozone	
Diamox	Novo-Triamzide	
Dichlotride	Olmesartan medoxomil/HCTZ	
Diovan HCT	Oretic	
Diucardin	Polythiazide/Prazosin	
Diuril	Prinizide	
Dutoprol	<b>Propranolol/HCTZ</b>	
Dyazide	Rauzide	
Edecrin	Rawel XL	
Enalapril/HCTZ	Rexall	
Enduron	Spirozide	
Esidrex	Tenoret	
Ethacrynic Acid	Tenoretic	
Furosemide	Tensaid XL	
Hydralazine/HCTZ	Thalitone	
Hydrochlorot	Timolide	
Hydrochlorothiazide (HCTZ)	<b>Timolol/HCTZ</b>	
Hydrocot	<b>Timolol Maleate/HCTZ</b>	

**ONLY THE HIGHLIGHTED MEDICATIONS SHOULD BE TAKEN THE DAY OF SURGERY  
IN A.M. IF NORMALLY TAKEN IN A.M.**